apms@apms tw info@pedotecdesign.com

INFINITE CHALLENGE WITH PEDOTEC

PEDOTEC COLLECTION

2023 PEDALS ACCESSORIES

www.pedotecdesign.com

POWER METER

APMS International Co. Ltd.

No. 141, Yubao Rd., Xitun Dist., Taichung City 407, Taiwan (R.O.C.)
TEL: 886-4-23580132
FAX: 886-4-23595462
Website: www.pedotecdesign.com
E-mail: apms@apms.tw
info@pedotecdesign.com

Specifications subject to change without notice.
PEDOTEC is a trademark of **APMS** International Co. Ltd.
Copyright © **APMS** International Co. Ltd.
All other trademarks are the property of their respective owners.

POWER METER | PEDALS | ACCESSORIES | DROPPER POST

APMS International Co. Ltd.
No. 141, Yubao Rd., Xitun Dist., Taichung City 407022, Taiwan
TEL: 886-4-23580132
FAX: 886-4-23595462
Website: www.pedotecdesign.com
E-mail: info@pedotecdesign.com
apms@apms.tw

WELCOME TO PEDOTEC

PEDOTEC is a trademark of APMS International Co. Ltd.
Copyright © APMS International Co. Ltd.
All other trademarks are the property of their respective owners.
Specifications subject to change without notice.

PEDOTEC
03 INTRODUCTION
04 EXTRUSION BODY DRAWING

FORMULA
05 POWER METER
07 CADENCE

PEDALS
09 ROAD
11 MTB
16 BMX
23 INDOOR CYCLING, CITY

ACCESSORIES
25 DROPPER POST
27 CHAINRINGS
28 CLEATS
29 CHAIN GUIDE
30 CADENCE SENSOR, BOTTLE CAGE, WATER BOTTLES
31 HANDLE BAR, GRIP PIN

APMS International Co. Ltd.

COMPANY PROFILE

Pedal products

Professional Pedal Products Series
POWER METER, ROAD, MTB, BMX, CITY

Company

Since 2012.1.1 APMS INTERNATIONAL CO., LTD.
APMS has a large and highly skilled R & D team made pedals products experienced leader.

Accessories

Accessories, Cleats , Chain Guide, Dropper post

Introduction

The Measure of Factory 3967 Sq.ft
Capacity of pedal per month 35,000prs

ABOUT PEDOTEC

Your promise to your customers is they will enjoy the most awesome Power Meter Pedals available on the market today.

We enable you to deliver on that promise by delivering to you the safest and most durable (and high-tech) power meter pedals around.

How do we do this?

Through continual testing and modification, more testing and more modification.

For example, the standard prescribes 1,000,000 revolutions — We test to 3,000,000.

That adds up to 30 hours continual stress on the axle and bearing.

Drawing on our extensive OEM and ODM experience we have created the Formula range of power meter pedals.

We developed these cutting edge power meter pedals in partnership with SCADA and one of Taiwan's biggest personal electronics companies Direction Technology.

Best Practice OEM/ODM

We still do OEM and ODM projects and have worked on Cycore products, to name a few.

If you have developed a fully fledged product of your own, we'll make it happen.

If you need high-tech engineering design input, we'll realize exactly the product you have in mind.

Extruded machined pedal and CNC-machined pedals are also our forte if that is what you need.

EXTRUSION BODY DRAWING



FORMULA-01



FORMULA-02

www.pedotecdesign.com
apms@apms.tw
info@pedotecdesign.com

POWER METER





PEDOTEC
S brand (Q)



*FORMULA **PS1***

*FORMULA **PA1***

FUNCTION
Measure both Power and Cadence

CR2032 +

BATTERY
CR2032, 3V
80~120 hours

CONNECTIVITY
ANT+ / BLE

WATER RESISTANT LEVEL
IPX6

FORMULA PA1

BODY	6061 aluminum, forged body
AXLE	CNC-machined Cr-Mo
BEARING	Fiber-glass binding, LSL bushing & Sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
COMPATIBILITY	Compatible with Look Keo system
SIZE	83 x 94 mm
BATTERY	CR2032, 3V
TRANSMISSION PROTOCOL	ANT+ and Bluetooth Smart
FUNCTION	Measure both power and cadence speed
WATER RESISTANT LEVEL	IPX6
OPERATION TEMPERATURE	-20~50°C
WEIGHT	214 g/pc (including battery)

FORGED 6061 ALUMIMUM

■ **FORMULA PA2 (Single-side)**

FORMULA PS1

BODY	6061 aluminum, CNC-machined body
AXLE	CNC-machined Cr-Mo
BEARING	LSL busing & Sealed
BINDING	Single- sided Cr-Mo binding, tension adjustable
COMPATIBILITY	Compatible with SPD system
SIZE	54 x 98 mm
BATTERY	CR2032, 3V
TRANSMISSION PROTOCOL	ANT+ and Bluetooth Smart
FUNCTION	Measure both power and cadence speed
WATER RESISTANT LEVEL	IPX6
OPERATION TEMPERATURE	-20~50
WEIGHT	218 g/pc (including battery)

CNC MACHINED

■ **FORMULA PS2 (Single-side)**



CYCORE G300
POWER METER GPS COMPUTE

- Designed for Smart Trainer & Power Meter pedal
- BLE 4.2 compatible with Bluetooth Heart Rate
- Power Meter SENSOR
- Cadence
- App Navigation
- GPS enable

CYCORE G300B

- Power(current/average/maximum)

CYCORE G300P

- Power(current/average/maximum)
- Power(left/right)
- FTP

CYCORE G300N

- Power(current/average/maximum)
- Power(left/right)
- GPS Navigation Way Points

CADENCE

e-PEDAL



FUNCTION
Measure Cadence

LR44
+

BATTERY
LR44
400 hours

CONNECTIVITY
ANT+ / BLE

WATER RESISTANT LEVEL
IPX6

Download on the App Store

ANDROID APP ON Google play

COMPATIBLE APPS

LIGHT-CURRENT SYSTEM

POWERED BY CYCORE PATENTED

BATTERY	LR44
TRANSMISSION PROTOCOL	ANT+ and BLE
FUNCTION	Measure Cadence
WATER RESISTANT LEVEL	IPX6
OPERATION TEMPERATURE	-20 ~ 50°C

SPORT

ANDROID APP ON Google play

Download on the App Store

Ride For Life

FORMULA RP-P1

BODY	Injection engineering thermoplastic
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
COMPATIBILITY	Compatible with Look-Keo system
SIZE	83 X 94 mm
WEIGHT	180 g/pc

KEO SYSTEM

FORMULA RP-M2CS

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, tension adjustable
COMPATIBILITY	
SIZE	Compatible with SPD system
WEIGHT	107 X 111 mm

CNC MACHINED



RED BLACK

FORMULA RP-M2C

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	113 X 105 mm
WEIGHT	220 g/pc

CNC MACHINED



BLACK RED

FORMULA RP-M1

BODY	Die-Cast Aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Reflectors included, Replaceable grip pins
SIZE	111 X 108 mm
WEIGHT	240 g/pc

Pat.



RED BLACK

FORMULA RP-M3

BODY	Die-Cast Aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Single-sided Cr-Mo, tension adjustable
OPTION	Replaceable grip pins
OTHER	Reflectors included
COMPATIBILITY	Compatible with SPD system
SIZE	106 X 98 mm
WEIGHT	282 g/pc

Pat.

REAR FRONT

PT-Arrow158

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
CLEAT	PT-KCR72 / PT-KCB02
SIZE	85 X 90 mm
WEIGHT	157 g/pc

KEO SYSTEM

PT-Arrow119

BODY	Injection engineering thermoplastic body with stainless abrasion guard
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
CLEAT	PT-KCR72 / PT-KCB02
SIZE	83 X 94 mm
WEIGHT	125 g/pc

KEO SYSTEM

PT-Arrow166

BODY	Die-cast aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
CLEAT	PT-KCR72 / PT-KCB02
SIZE	86 X 86 mm
WEIGHT	164 g/pc

KEO SYSTEM

PT-Arrow163

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
CLEAT	PT-SLR62/PT-SLB02
SIZE	87 X 90 mm
WEIGHT	163 g/pc

COMPATIBLE WITH SHIMANO SYSTEM

PT-Arrow148

BODY	Injection engineering thermoplastic
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
CLEAT	PT-SLR62/PT-SLB02
SIZE	82 X 93 mm
WEIGHT	148 g/pc

COMPATIBLE WITH SHIMANO SYSTEM

PT-Arrow165

BODY	Die-cast aluminum
AXLE	CNC-machined Cr-Mo (cartridge)
BEARING	LSL bushing & sealed
BINDING	Fiber-glass reinforced thermoplastic, tension adjustable
CLEAT	PT-SLR62/PT-SLB02
SIZE	88 X 93 mm
WEIGH	165 g/pc

COMPATIBLE WITH SHIMANO SYSTEM

PT-Aegis169

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	80 X 60 mm
WEIGHT	165 g/pc

CNC MACHINED

DOUBLE-SIDE

PT-Aegis178

BODY	Die-cast aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	80 X 60 mm
WEIGHT	178 g/pc

Pat. Ball Bearings **PT-AEGIS178B** Ball bearings version

DOUBLE-SIDE

PT-Aegis197

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	87 X 90 mm
WEIGHT	196 g/pc

CNC MACHINED

DOUBLE-SIDE

PT-Aegis213

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	103 X 96 mm
WEIGHT	212 g/pc

CNC MACHINED

DOUBLE-SIDE

PT-Aegis175

BODY	Injection engineering thermoplastic
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Single-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	94 X 100 mm
WEIGHT	175 g/pc

SINGLE-SIDE

REAR **FRONT**

PT-Aegis156

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Single-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	84 X 86 mm
WEIGHT	157 g/pc

CNC MACHINED

SINGLE-SIDE

PT-Aegis275

BODY	Die-Cast Aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Single-sided Cr-Mo, tension adjustable
OPTION	Replaceable grip pins
OTHER	Reflectors included
CLEAT	PT-S01
SIZE	106 X 98 mm
WEIGHT	267 g/pc

Pat.

Ball Bearings **PT-AEGIS275B** Ball bearings version

SINGLE-SIDE

REAR

FRONT

PT-Aegis241

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Single-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	107 X111 mm
WEIGHT	241 g/pc

CNC MACHINED

SINGLE-SIDE

REAR

RED

FRONT

BLACK

PT-Aegis153

BODY	Injection engineering thermoplastic
AXLE	CNC-machined Cr-Mo (cartridge)
BEARING	LSL bushing & sealed
BINDING	Single-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	95 X 90 mm
WEIGHT	177 g/pc

SINGLE-SIDE

REAR

FRONT

PT-Aegis279

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, tension adjustable
CLEAT	PT-S01
SIZE	107 X 111 mm
WEIGHT	279 g/pc

CNC MACHINED

DOUBLE-SIDE

RED



BLACK

PT-Aegis244

BODY	Die-cast aluminum body with engineering thermoplastic platform
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, spring-loaded, tension adjustable
CLEAT	PT-S01
SIZE	105 X 103mm
WEIGHT	244 g/pc

DOUBLE-SIDE



PT-Aegis284

BODY	Die-cast aluminum body with CNC aluminum platform
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, spring-loaded, tension adjustable
CLEAT	PT-S01
SIZE	105 X 103 mm
WEIGHT	284 g/pc

CNC MACHINED

DOUBLE-SIDE



PT-Aegis239

BODY	Die-cast aluminum body with CNC aluminum platform
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
BINDING	Dual-sided Cr-Mo, spring-loaded, tension adjustable
CLEAT	PT-S01
SIZE	105 X 84 mm
WEIGHT	239 g/pc

CNC MACHINED

PT-Thunder117

BODY	Die-Cast Magnesium
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	112 X 110 mm
WEIGHT	177 g/pc

MG magnesium

RED

BLACK

PT-Thunder205

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	113 X 105 mm
WEIGHT	205 g/pc

CNC MACHINED



PINK

RED

BLACK

PT-Thunder182

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	110 X 108 mm
WEIGHT	180 g/pc

RED



BLACK

PT-Thunder189

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	110 X108 mm
WEIGHT	189 g/pc

RED

BLACK

PT-Thunder195

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	100 X 105 mm
WEIGHT	195 g/pc

BLACK

RED

PT-Thunder220

BODY	Die-Cast Aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	115 X 108 mm
WEIGHT	230 g/pc



RED

BLACK

PT-Thunder171

BODY	6061 aluminum, CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	102 X 108 mm
WEIGHT	170 g/pc

RED

BLACK

PT-Thunder148

BODY	6061 aluminum,CNC-machined
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	100 X 105 mm
WEIGHT	148 g/pc

RED

BLACK

PT-Thunder225

BODY	Die-Cast Aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Reflectors included, Replaceable grip pins
SIZE	111 X 108 mm
WEIGHT	225 g/pc

Pat.





RED

New

PT-Thunder172

BODY	Engineering thermoplastic
AXLE	CNC-machined Cr-Mo
BEARING	Oversize bearing, Needle bearing, Sealed bearing
OTHER	Replaceable grip pins
SIZE	117 X 114 mm
WEIGHT	171 g/pc

BLACK

GREEN

LIME

ORANGE

RED

BLUE

New

PT-Thunder184D

BODY	Engineering thermoplastic
AXLE	CNC-machined Cr-Mo
BEARING	2 Flange bearings
OTHER	Replaceable grip pins
SIZE	113 X 114 mm
WEIGHT	183 g/pc

LIME

BLUE

BLACK

ORANGE

GREEN

RED

PT-Thunder183

BODY	Engineering thermoplastic
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	113 X 105 mm
WEIGHT	175 g/pc

Pat.

GREEN

BLUE

BLACK

RED

ORANGE

LIME

PT-Thunder180

BODY	Engineering thermoplastic
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
OTHER	Replaceable grip pins
SIZE	113 X 114 mm
WEIGHT	180 g/pc

Pat.

BLACK

GREEN

BLUE

LIME

RED



ORANGE

New

PT-CE188

BODY	Engineering, thermoplastic body with sand-paper
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing, sealed
OTHER	Reflectors included
SIZE	108x86mm
WEIGHT	188g/pc

2DU PT-CED188

ORANGE

BLUE

RED

LIME

BLACK

CITY

New

PT-CF218

BODY	Die-Cast Aluminum with sand-paper
AXLE	CNC-machined Cr-Mo
BEARING	LSL Bushing, sealed
OTHER	Reflectors included
SIZE	110x88 mm
WEIGHT	218g/pc

2DU PT-CFD218

CITY

PT-CF158

BODY	6061 aluminum, CNC-machined body with sand-paper
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
SIZE	98 X 78 mm
WEIGHT	158 g/pc

CNC MACHINED

CITY

Indoor pedal

PT-ARROW246

INTERFACE	(Compatible with Look Delta)
BODY	Aluminum, nickel plated & ED black, corrosion resistant
AXLE	Heat-treated, oversize CNC-machined Cr-Mo
BEARING	Oversize sealed & needle
BINDING	Fiberglass-reinforced thermoplastic, tension adjustable with gauge
SIZE	87 X 90 mm
WEIGHT	250 g/pc

PT-MD302

BODY	One piece, die-cast aluminum
AXLE	CNC-machined Cr-Mo
BEARING	LSL bushing & sealed
CLEAT	Reflectors included
SIZE	99 X 67 mm
WEIGHT	143 g/pc

NEW

RLV01

RLH01

RLH02

Mars DP0125

Ø OD	30.9 mm
TRAVEL	125 mm
LENGTH	396 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	565 g

Mars DP0150

Ø OD	30.9 mm
TRAVEL	150 mm
LENGTH	458 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	665 g

Mars DP0170

Ø OD	30.9 mm
TRAVEL	170 mm
LENGTH	492 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	693 g

Mars DP1125

Ø OD	31.6 mm
TRAVEL	125 mm
LENGTH	396 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	580 g

Mars DP1150

Ø OD	31.6 mm
TRAVEL	150 mm
LENGTH	458 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	680 g

Mars DP1170

Ø OD	31.6 mm
TRAVEL	170 mm
LENGTH	492 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	708 g

Mars DP4125

Ø OD	34.9 mm
TRAVEL	125 mm
LENGTH	396 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	680 g

Mars DP4150

Ø OD	34.9 mm
TRAVEL	150 mm
LENGTH	458 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	778 g

Mars DP4170

Ø OD	34.9 mm
TRAVEL	170 mm
LENGTH	492 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	824 g

NEW

RLV01

RLH01

RLH02

Mars HK272100

Ø OD	27.2 mm
TRAVEL	100 mm
LENGTH	356 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	472 g

Mars HK309125

Ø OD	30.9 mm
TRAVEL	125 mm
LENGTH	386 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	90 mm
WEIGHT	465 g

Mars HK309155

Ø OD	30.9 mm
TRAVEL	155 mm
LENGTH	466 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	526 g

Mars HK309185

Ø OD	30.9 mm
TRAVEL	185 mm
LENGTH	506 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	130 mm
WEIGHT	580 g

Mars HK309215

Ø OD	30.9 mm
TRAVEL	215 mm
LENGTH	566 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	150 mm
WEIGHT	623 g

Mars HK316125

Ø OD	31.6 mm
TRAVEL	125 mm
LENGTH	386 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	90 mm
WEIGHT	486 g

Mars HK316155

Ø OD	31.6 mm
TRAVEL	155 mm
LENGTH	466 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	100 mm
WEIGHT	545 g

Mars HK316185

Ø OD	31.6 mm
TRAVEL	185 mm
LENGTH	506 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	130 mm
WEIGHT	597 g

Mars HK316215

Ø OD	31.6 mm
TRAVEL	215 mm
LENGTH	566 mm
CARTRIDGE	air/oil cartridge
MIN. INSERT	150 mm
WEIGHT	647 g

PT-CRE103

FIT ANY 104 BCD CRANK
AL 7075 FULL CNC
BCD 104 mm
TEETH 38/24, 36/22 T
WEIGHT 45 g (34 T)
COMPATIBILITY 9/10/11 speed

PT-CRE105

DIRECT MOUNT
AL 7075 FULL CNC
TEETH 26/28/30/32/34/36/38/40 T
WEIGHT 75 g (32 T)
COMPATIBILITY 9/10/11 speed

PT-CRE106

FIT XT M8000
AL 7075 FULL CNC
BCD 96 mm
TEETH 34/36/38 T
WEIGHT 49 g (34 T)
COMPATIBILITY 9/10/11 speed

PT-CRE209

FOR BOTH 4-ARM & 5-ARM SPIDER
AL 7075 FULL CNC
BCD 110 mm
TEETH 53/39 T, 52/36 T, 50/34 T
WEIGHT 153 g/pc



PT-CRE303

AL 7075 FULL CNC
BCD 104/64 mm
TEETH 42/33/24 T
WEIGHT 148 g/pc

NEW

KEO SYSTEM

PT-KCR71

MODE Floating (7°)
MATERIAL Engineering thermoplastic
COMPATIBILITY Look keo system
WEIGHT 24 g/pc

PT-KCB01

MODE Fixed
MATERIAL Engineering thermoplastic
COMPATIBILITY Look keo system
WEIGHT 24 g/pc

PT-KCR72

MODE Floating (7°)
MATERIAL Engineering thermoplastic / TPU plastic
COMPATIBILITY Look keo system
WEIGHT 23 g/pc

PT-KCB02

MODE Fixed
MATERIAL Engineering thermoplastic / TPU plastic
COMPATIBILITY Look keo system
WEIGHT 23 g/pc

CLEAT COVERS

PT-CK3B

COMPATIBLE Look keo system
WEIGHT 23 g/pc

Eliminates cleat wear.
Improves walking comfort
Lightweight, durable and flexible
Compatible with Road Cleats
KCR71, KCR72, KCB01, KCB02.

NEW

ROAD SYSTEM

PT-SLR61

MODE Floating (6°)
MATERIAL Engineering thermoplastic
COMPATIBILITY SPD-SL
WEIGHT 25 g/pc

PT-SLB01

MODE Fixed
MATERIAL Engineering thermoplastic
COMPATIBILITY SPD-SL
WEIGHT 25 g/pc

PT-SLR62

MODE Floating (6°)
MATERIAL Engineering thermoplastic / TPU plastic
COMPATIBILITY SPD-SL
WEIGHT 25 g/pc

PT-SLB02

MODE Fixed
MATERIAL Engineering thermoplastic / TPU plastic
COMPATIBILITY SPD-SL
WEIGHT 25 g/pc

CLEAT COVERS

PT-CK6B

WEIGHT 43 g/pc

Eliminates cleat wear
Improves walking comfort
Lightweight, durable and flexible
Compatible with Road Cleats
RSL11, BSL11, also SPD-SL system

MTB SYSTEM

PT-S01
COMPATIBILITY | SPD
WEIGHT | 20 g/pc

PT-C03F
COMPATIBILITY | SPD
WEIGHT | 20 g/pc

CLEAT COVERS

PT-CK2B
Eliminates cleat wear. | Compatible with MTB Cleats
Improves walking comfort | S01, C03F.
Lightweight, durable and flexible | WEIGHT 7 g/pc

PT-CCG01
BOOM | 6061 aluminum, CNC-machined with hi-polished anodized
HINGE | Nylon 6, Hinge & universal hinge available
GUIDE | Tube TPU

PT-CCG03
BOOM | TPU
HINGE | TPU
GUIDE | Tube TPU

BIKE AND FREERIDE MILESTONE AWARD 2011
Voted by the readers of bike (europe's biggest mtb magazine) and freeride (the gravity branch of bike).

EUROBIKE AWARD 2010.
Design competition held annually by trade fair organizers in association with if design award.

MANUFACTURED BY SCADA

SPORT
RIDE FOR LIFE

FORMULA SC1
CADENCE SENSOR

SIZE | 80 X 67 X 20mm
WEIGHT | 21.8 g
BATTERY | CR2032
TX-F | ANT+ | Compatible with over 50 different fitness apps, such as Wahoo, Strava, Adidas, and more.
BLE4.0 | Compatible with iPhone 4s above, iPad, Android 4.3 system and above.

PT-CA01
PRODUCT | BOTTLE CAGE
MATERIAL | Carbon
WEIGHT | 20 g/pc



PT-512LW-BK
PRODUCT | BOTTLE
BOTTLE MATERIAL | LDPE
CAP MATERIAL | Polypropylene
VOLUME | 800cc

PT-512LW
PRODUCT | BOTTLE
BOTTLE MATERIAL | LDPE
CAP MATERIAL | Polypropylene
VOLUME | 800cc

CSB-537W
PRODUCT | BOTTLE
BOTTLE MATERIAL | LDPE
CAP MATERIAL | Polypropylene
VOLUME | 700cc

CSB-512MW
PRODUCT | BOTTLE
BOTTLE MATERIAL | LDPE
CAP MATERIAL | Polypropylene
VOLUME | 600cc

HANDLE BAR, GRIP PIN

PT-HB710

MATERIAL	Carbon
SIZE	31.8 X 710 mm
WEIGHT	195 g/pc

PT-HB760

MATERIAL	Carbon
SIZE	31.8 X 760 mm
WEIGHT	225 g/pc

PT-HB787

MATERIAL	Carbon
SIZE	31.8 X 787 mm
WEIGHT	260 g/pc

PT-HB800

MATERIAL	Carbon
SIZE	35 X 800 mm
WEIGHT	225 g/pc

PT-HB810

MATERIAL	Carbon
SIZE	35 X 810 mm
WEIGHT	255 g/pc

ORANGE

WHITE

GRAY

STEEL GRIP PINS

GRIP PIN COLOR OPTION

Custom grip pin colors based on MOQ 150 PRS

PT-ESS088-4
M4 x 4 mm

Blue Green Pink Yellow Red

PT-ESS088-8
M4 x 8 mm

Blue Green Pink Yellow Red

PT-ESS113
M4 x 4 mm



Blue Green Pink Yellow Red Purple

ALUMINUM GRIP PINS

PT-ESS112-4
M4 x 4 mm

Blue Green Pink Yellow Red

PT-ESS112-8
M4 x 8 mm

Blue Green Pink Yellow Red

PEDOTEC